

30 *-in-* 1



GREENCREATIVE

Powerful, Versatile.

3 Output Levels, 5 CCTs, and 2 Beam Angles in One Product

Experience ultimate flexibility and savings. The groundbreaking 250W halogen replacement PAR38 LED, packing 5 CCTs, 3 lumen output levels, and 2 beam angles all into one box. Achieve superior field adaptability while slashing energy consumption and inventory management costs.



5 Light Colors

Designed with integrated CCT switch, the lamp allows for convenient field selection of five color temperatures among 2700K, 3000K, 3500K, 4000K and 5000K. Whether you are seeking warm light for a cozy and relaxing atmosphere or cool light for a more energetic and productive environment, this lamp has you covered.

3 Output Levels

The integral power switch allows you to tailor lumen output to your exact needs - delivering three output levels ranging from 2,000lm to 3,000lm. This intelligent feature ensures optimal lighting performance, energy efficiency, and flexibility, empowering you to customize illumination for any environment with precision and ease.

2 Beam Angles

Beam angle of the lamp is 25° as standard. If need a wider 40° light distribution for flood lighting, just take the additional lens provided in the package and "click" it onto the original lens. No need to stock multiple products for different beam angles. This innovative design saves you time, inventory costs, and on-site logistics effort.



BEAM ANGLE

Additional Lens, "Click" to Add
40° Beam Angle



BEAM ANGLE

Standard Lens
25° Beam Angle

Select Drive

Output Selections

- 2,000lm
- 2,500lm
- 3,000lm

Select Kelvin

CCT Selections

2700K/3000K/3500K/4000K/5000K





GREENCREATIVE



CCT AND POWER SELECT PAR38 HO

