

Project Name:	Type:
Part Number:	Date:

TITLE 20 / TITLE 24 & JA8

FAQ

■ Q: What lighting products are effected for Title 20?

A: Two main categories are impacted. State-Regulated LED Lamps and State-Regulated Small Diameter Directional Lamps.

State-Regulated LED Lamps - SLED (meet the following criteria):

- Have an E12, E17, E26, or GU-24 type base
- Produce between 200-2600 lumens (products with candelabra bases produce 150+ lumens)
- Produce a white light CCT between 2200K-7000K with a Duv of +/- 0.012
- This category also includes retrofit kits with an E12, E17, E26, or GU24 type base

State-Regulated Small Diameter Directional Lamps - SDDL (meet the following criteria):

- Operates at 12, 24, or 120V
- Has an ANSI ANSLG C81.61-2009 (R2014) compliant pin or E26 base
- Diameter < 2.25"
- Lumen output < 850 lumens, wattage equivalency less than 75w incandescent



■ Q: What makes a State-Regulated LED Lamp or State-Regulated Small Diameter Directional Lamp acceptable to be sold in California for Title 20?

A: Lamps must meet the applicable design and performance standards, certified to the California Energy Commission (are listed in the state's MAEDBS database) and marked in accordance with TITLE 20.

■ Q: What are the differences between Title 20 and Title 24?

A: Both Title 20 and Title 24 include requirements for lamps and luminaires (light fixtures).

Title 20 requirements apply to covered lighting products when they are sold or offered for sale in California. Title 24, Part 6 applies to new construction, permitted retrofits and building alterations and requires all luminaires in new single-family homes, townhouses and dwelling units of new multifamily buildings to be high efficacy.

■ Q: What is the difference between Residential and Non-Residential for Title 24?

A: Title 24 include requirements for both residential and nonresidential buildings. Residential buildings are those low-rise residential buildings with three or fewer stories. Nonresidential buildings include hotels, motels, and high-rise residential buildings (those over three stories above grade in height).

■ Q: What is California TITLE 24, Part 6 JA8?

A: JA8 is Joint Appendix 8 and it specifies the requirements a light source (such as an LED lamp or array) needs to meet in order to be used in a Residential application including single family homes, townhomes, and the dwelling area in a multifamily building.

■ Q: What products are required to be JA8 certified for residential applications in the state of California?

A: High efficacy light sources comply with one of the groups below:

Light sources in this column other than those installed in ceiling recessed downlight luminaires are automatically classified as high efficacy and are not required to comply with Reference Joint Appendix JA8:

- Pin-based linear fluorescent
- Pin-based compact fluorescent
- GU-24 other than LEDs
- Inseparable SSL luminaires with colored light sources for decorative lighting purpose
- Pulse-start metal halide
- High pressure sodium
- Luminaires with hardwired high frequency generator and induction lamp
- Inseparable SSL luminaires that are installed outdoors

Light sources in this group are only considered to be high efficacy if they are certified to the Commission as High Efficacy Light Sources in accordance with Reference Joint Appendix JA8 and marked as required by JA8:

- LED luminaires with integral sources
- Screw-based LED lamps
- Pin-based LED lamps
- GU-24 based LED light source
- Recessed Ceiling (Can) Lights: Recessed ceiling downlights (can lights) CANNOT be screw base and must use an insulation contact & airtight (ICAT) rated can

■ Q: What are the lighting requirements in Title 24 that apply to Non-residential (commercial) applications?

A: Non-residential compliance can be achieved by combining control strategies for different space types (warehouses, classrooms, parking lots, etc.). Generally, as long as a lighting product meets (or is outside the scope of) Title 20, and can be continuously dimmed, it can be used to support compliance to a non-residential application.

TITLE 20 / TITLE 24 & JA8

LAMPS			
Product	Model	TITLE20 SLED	TITLE24 JA8
36552	6A19DIM/927	✓	
36553	6A19DIM/930	✓	
36554	9A19DIM/927/R	✓	
36555	9A19DIM/930/R	✓	
36556	9A19DIM/940/R	✓	
36676	9A19DIM/930/GU24/RC	✓	
36677	9A19DIM/940/GU24/RC	✓	
36679	11A19DIM/927/R	✓	
36680	11A19DIM/930/R	✓	
38344	9A19DIM/9CCTS	✓	✓
38345	9A19DIM/9CCTS/GU24	✓	✓
38346	9A19/9CCTS/277V	✓	
38347	11A19DIM/9CCTS	✓	✓
38348	12.5A21DIM/9CCTS	✓	✓
98562	9A19/927/277V	✓	
98563	9A19/930/277V	✓	
36692	9BR30DIM/930	✓	
36699	11BR40DIM/940	✓	
36701	13BR40DIM/930	✓	
37864	7BR30DIM/9CCTS	✓	
38308	10BR30DIM/9CCTS	✓	
38310	11BR40DIM/9CCTS	✓	
36062	3.3FB11DIM/927/E26/R	✓	
36067	3.8FG16.5DIM/927/R	✓	
36068	3.8FG16.5DIM/927/E26/R	✓	
36070	3.8FG25DIM/927/R	✓	
36073	5.5FG40DIM/927/R	✓	
36082	9FA19DIM/927/R	✓	
36083	9FA19DIM/927/FR/R	✓	
36748	9FA19DIM/930	✓	
36749	9FA19DIM/940	✓	
36752	10FA19DIM/930	✓	✓
37056	2FB11DIM/927	✓	
37057	2FB11DIM/927/E26	✓	
37058	3.3FB11DIM/927/RC	✓	
37059	3.3FB11DIM/927/FR/RC	✓	
37063	5.5FB11DIM/927/RC	✓	
37065	5.5FB11DIM/927/E26/RC	✓	
38350	8.8FA19DIM/9CCTS	✓	
38351	9.5FA19DIM/9CCTS	✓	
38352	8.8FA19DIM/9CCTS/FR	✓	
37919	17A21/9CCTS/277V/DIM	✓	
37220	9PAR30DIM/9CCTS/BAS	✓	
37221	9PAR30SNDIM/9CCTS/BAS	✓	
37222	14PAR38DIM/9CCTS/BAS	✓	
37176	6.5PAR20DIM/927FL40/SL	✓	✓
37177	6.5PAR20DIM/930FL40/SL	✓	✓
38163	6.5PAR20DIM/930SP15/SL	✓	✓
37178	6.5PAR20DIM/930FL40/B/SL	✓	✓
37179	6.5PAR20DIM/935FL40/SL	✓	✓
37180	6.5PAR20DIM/940FL40/SL	✓	✓

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.

TITLE 20 / TITLE 24 & JA8

LAMPS			
Product	Model	TITLE20 SLED	TITLE24 JA8
37181	6.5PAR20DIM/950FL40/SL	✓	
37182	6.5PAR20/927FL40/277V/SL	✓	✓
37183	6.5PAR20/930FL40/277V/SL	✓	✓
37184	6.5PAR20/940FL40/277V/SL	✓	✓
37185	11PAR30DIM/927FL40/SL	✓	✓
37186	11PAR30DIM/930FL40/SL	✓	✓
37187	11PAR30DIM/930FL40/B/SL	✓	✓
37188	11PAR30DIM/935FL40/SL	✓	✓
37189	11PAR30DIM/940FL40/SL	✓	✓
37190	11PAR30DIM/950FL40/SL	✓	
37191	11PAR30/927FL40/277V/SL	✓	✓
37192	11PAR30/930FL40/277V/SL	✓	✓
37193	11PAR30/940FL40/277V/SL	✓	✓
37194	11PAR30SNDIM/927FL40/SL	✓	✓
37195	11PAR30SNDIM/927FL40/B/SL	✓	✓
37963	11PAR30SNDIM/930NF25/B/SL	✓	✓
37196	11PAR30SNDIM/930NF25/SL	✓	✓
37197	11PAR30SNDIM/930FL40/SL	✓	✓
37198	11PAR30SNDIM/930FL40/B/SL	✓	✓
37199	11PAR30SNDIM/935FL40/SL	✓	✓
37200	11PAR30SNDIM/940FL40/SL	✓	✓
37201	11PAR30SNDIM/950FL40/SL	✓	
37202	11PAR30SN/930FL40/277V/SL	✓	✓
37203	15.5PAR38DIM/927FL40/SL	✓	✓
37204	15.5PAR38DIM/930SP15/SL	✓	✓
37205	15.5PAR38DIM/930NF25/SL	✓	✓
37206	15.5PAR38DIM/930FL40/SL	✓	✓
37207	15.5PAR38DIM/930FL40/B/SL	✓	✓
37208	15.5PAR38DIM/935FL40/SL	✓	✓
37209	15.5PAR38DIM/940FL40/SL	✓	✓
37210	15.5PAR38DIM/950FL40/SL	✓	
37211	15.5PAR38/930FL40/277V/SL	✓	✓
37212	15.5PAR38/940FL40/277V/SL	✓	✓
37559	6.5PAR20DIM/927FL40/SL+SL15D	✓	✓
37560	6.5PAR20DIM/927FL40/SL+SL25D	✓	✓
37562	6.5PAR20DIM/930FL40/SL+SL25D	✓	✓
37563	6.5PAR20DIM/930FL40/B/SL+SL15D	✓	✓
37564	6.5PAR20DIM/930FL40/B/SL+SL25D	✓	✓
37565	6.5PAR20DIM/935FL40/SL+SL15D	✓	✓
37566	6.5PAR20DIM/935FL40/SL+SL25D	✓	✓
37567	6.5PAR20DIM/940FL40/SL+SL15D	✓	✓
37568	6.5PAR20DIM/940FL40/SL+SL25D	✓	✓
37569	6.5PAR20DIM/950FL40/SL+SL15D	✓	
37570	6.5PAR20DIM/950FL40/SL+SL25D	✓	
37571	6.5PAR20/927FL40/277V/SL+SL15D	✓	✓
37572	6.5PAR20/927FL40/277V/SL+SL25D	✓	✓
37573	6.5PAR20/930FL40/277V/SL+SL15D	✓	✓
37574	6.5PAR20/930FL40/277V/SL+SL25D	✓	✓
37575	6.5PAR20/940FL40/277V/SL+SL15D	✓	✓
37576	6.5PAR20/940FL40/277V/SL+SL25D	✓	✓
37577	11PAR30DIM/927FL40/SL+SL15D	✓	✓

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.

TITLE 20 / TITLE 24 & JA8

LAMPS			
Product	Model	TITLE20 SLED	TITLE24 JA8
37578	11PAR30DIM/927FL40/SL+SL25D	✓	✓
37579	11PAR30DIM/930FL40/SL+SL15D	✓	✓
37580	11PAR30DIM/930FL40/SL+SL25D	✓	✓
37581	11PAR30DIM/930FL40/B/SL+SL15D	✓	✓
37582	11PAR30DIM/930FL40/B/SL+SL25D	✓	✓
37583	11PAR30DIM/935FL40/SL+SL15D	✓	✓
37584	11PAR30DIM/935FL40/SL+SL25D	✓	✓
37585	11PAR30DIM/940FL40/SL+SL15D	✓	✓
37586	11PAR30DIM/940FL40/SL+SL25D	✓	✓
37587	11PAR30DIM/950FL40/SL+SL15D	✓	
37588	11PAR30DIM/950FL40/SL+SL25D	✓	
37589	11PAR30/927FL40/277V/SL+SL15D	✓	✓
37590	11PAR30/927FL40/277V/SL+SL25D	✓	✓
37591	11PAR30/930FL40/277V/SL+SL15D	✓	✓
37592	11PAR30/930FL40/277V/SL+SL25D	✓	✓
37593	11PAR30/940FL40/277V/SL+SL15D	✓	✓
37594	11PAR30/940FL40/277V/SL+SL25D	✓	✓
37595	11PAR30SNDIM/927FL40/SL+SL15D	✓	✓
37596	11PAR30SNDIM/927FL40/SL+SL25D	✓	✓
37597	11PAR30SNDIM/927FL40/B/SL+SL15D	✓	✓
37598	11PAR30SNDIM/927FL40/B/SL+SL25D	✓	✓
37599	11PAR30SNDIM/930FL40/SL+SL15D	✓	✓
37600	11PAR30SNDIM/930FL40/B/SL+SL15D	✓	✓
37601	11PAR30SNDIM/930FL40/B/SL+SL25D	✓	✓
37602	11PAR30SNDIM/935FL40/SL+SL15D	✓	✓
37603	11PAR30SNDIM/935FL40/SL+SL25D	✓	✓
37604	11PAR30SNDIM/940FL40/SL+SL15D	✓	✓
37605	11PAR30SNDIM/940FL40/SL+SL25D	✓	✓
37606	11PAR30SNDIM/950FL40/SL+SL15D	✓	
37607	11PAR30SNDIM/950FL40/SL+SL25D	✓	
37608	11PAR30SN/930FL40/277V/SL+SL15D	✓	✓
37609	11PAR30SN/930FL40/277V/SL+SL25D	✓	✓
37610	15.5PAR38DIM/927FL40/SL+SL15D	✓	✓
37611	15.5PAR38DIM/927FL40/SL+SL25D	✓	✓
37612	15.5PAR38DIM/930FL40/B/SL+SL15D	✓	✓
37613	15.5PAR38DIM/930FL40/B/SL+SL25D	✓	✓
37614	15.5PAR38DIM/935FL40/SL+SL15D	✓	✓
37615	15.5PAR38DIM/935FL40/SL+SL25D	✓	✓
37616	15.5PAR38DIM/940FL40/SL+SL15D	✓	✓
37617	15.5PAR38DIM/940FL40/SL+SL25D	✓	✓
37618	15.5PAR38DIM/950FL40/SL+SL15D	✓	
37619	15.5PAR38DIM/950FL40/SL+SL25D	✓	
37620	15.5PAR38/930FL40/277V/SL+SL15D	✓	✓
37621	15.5PAR38/930FL40/277V/SL+SL25D	✓	✓
37622	15.5PAR38/940FL40/277V/SL+SL15D	✓	✓
37623	15.5PAR38/940FL40/277V/SL+SL25D	✓	✓
98207	19.5PAR30HO/930FL40/277V/R	✓	
35429	19.5PAR30HO/935NF25/277V/R	✓	
98208	19.5PAR30HO/940NF25/277V/R	✓	
98209	19.5PAR30HO/940FL40/277V/R	✓	
36538	19.5PAR38HODIM/930FL40/277V/R	✓	✓

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.



TITLE 20 / TITLE 24 & JA8

LAMPS			
Product	Model	TITLE20 SLED	TITLE24 JA8
36539	19.5PAR38HODIM/935NF25/277V/R	✓	✓
36540	19.5PAR38HODIM/935FL40/277V/R	✓	✓
36541	19.5PAR38HODIM/940NF25/277V/R	✓	✓
36542	19.5PAR38HODIM/940FL40/277V/R	✓	✓
98210	25PAR38HO/930NF25/277V	✓	
98212	25PAR38HO/940NF25/277V	✓	
98213	25PAR38HO/940FL40/277V	✓	
35526	30PAR38HODIM/927NF25/277V		✓
35530	30PAR38HODIM/935NF25/277V		✓
35533	30PAR38HODIM/940FL40/277V		✓
34897	6.5PAR20DIM/930FL40/B	✓	✓
34916	15.5PAR38DIM/927SP15	✓	✓
34919	15.5PAR38DIM/930SP15	✓	✓
37063	5.5FB11DIM/927/RC	✓	
37068	5.5PAR20DIM/927FL40	✓	
37069	5.5PAR20DIM/930FL40	✓	
37070	8PAR30DIM/930FL40	✓	
37071	8PAR30DIM/940FL40	✓	
37075	13PAR38DIM/940FL40	✓	
98147	15A21DIM/927/N	✓	✓
Product	Model	TITLE20 SDDL	TITLE24 JA8
36688	7R20DIM/927	✓	
36689	7R20DIM/930	✓	
36690	7R20DIM/940	✓	
35544	6.5GU10DIM/927NF25	✓	✓
35545	6.5GU10DIM/927FL35	✓	✓
35547	6.5GU10DIM/930NF25	✓	✓
35548	6.5GU10DIM/930FL35	✓	✓
35550	7MR16DIM/927SP15/R	✓	✓
35558	5GU10DIM/927NF25	✓	✓
35559	5GU10DIM/927FL35	✓	✓
35562	5GU10DIM/930FL35	✓	✓
36114	7.5MR16DIM/927SP10/RC	✓	✓
36115	7.5MR16DIM/930SP10/RC	✓	✓
36116	7.5MR16DIM/940SP10/RC	✓	✓
36119	7MR16DIM/927FL35/RC	✓	✓
36120	7MR16DIM/930SP15/RC	✓	✓
36121	7MR16DIM/930NF25/RC	✓	✓
36122	7MR16DIM/930FL35/RC	✓	✓
36123	7MR16DIM/940FL35/RC	✓	✓
36124	7.5MR16DIM/927SP15/RC	✓	✓
36125	7.5MR16DIM/927NF25/RC	✓	✓
36126	7.5MR16DIM/927FL35/RC	✓	✓
36127	7.5MR16DIM/930SP15/RC	✓	✓
36128	7.5MR16DIM/930NF25/RC	✓	✓
36129	7.5MR16DIM/930FL35/RC	✓	✓
36130	7.5MR16DIM/940FL35/RC	✓	✓
36205	6.5MR16DIM/930NF25	✓	✓
36207	6.5MR16DIM/927FL35	✓	✓
36208	6.5MR16DIM/930FL35	✓	✓

TITLE 20 / TITLE 24 & JA8

LAMPS			
Product	Model	TITLE20 SDDL	TITLE24 JA8
36209	6.5MR16DIM/940FL35	✓	✓
36210	6GU10DIM/827FL40	✓	✓
37008	6.5GU10DIM/927SP10	✓	✓
37009	6.5GU10DIM/930SP10	✓	✓
37010	6.5GU10DIM/940SP10	✓	✓
LUMINAIRES			
Product	Model	TITLE24 JA8	
38312	SDSK6/9CCTS/DIM120V	✓	
38403	SLMFT5/9CCTS/DIM010UNV	✓	
38400	SLMFT5/9CCTS/DIM120V	✓	
38404	SLMFT7/9CCTS/DIM010UNV	✓	
38401	SLMFT7/9CCTS/DIM120V	✓	
38405	SLMFT9/9CCTS/DIM010UNV	✓	
38402	SLMFT9/9CCTS/DIM120V	✓	
35466	3N1/5/90/CCTS/DIM010UNV	✓	
35467	3N1/7/90/CCTS/DIM010UNV	✓	
34967	CLK6/930/DIM120V	✓	
34968	CLK6/940/DIM120V	✓	
34963	CLK6HO/927/DIM120V	✓	
34964	CLK6HO/930/DIM120V	✓	
34965	CLK6HO/940/DIM120V	✓	
98499	CLKSEN6/10MIN/930/120V	✓	
37035	SLFT9.5/9CCT5S/DUALDIM	✓	
38633	SLFTG3/4/9CCT5S/DUALDIM	✓	
38634	SLFTG3/6/9CCT5S/DUALDIM	✓	
38635	SLFTG3/6HO/9CCT5S/DUALDIM	✓	
38636	SLFTG3/8/9CCT5S/DUALDIM	✓	
38637	SLFTG3/8HO/9CCT5S/DUALDIM	✓	
38638	SLFTG3/9.5/9CCT5S/DUALDIM	✓	
98215	10NCDLR4DIM/935/277V/EXT	✓	
98219	12NCDLR6DIM/940/277V/EXT	✓	
98442	GIMB2/927/FL/DIM120	✓	
98443	GIMB2/930/FL/DIM120	✓	
37005	MCR4/9CCT5S/DUALDIM/EXT	✓	
37006	MCR6/9CCT5S/DUALDIM/EXT	✓	
37007	MCR6HO/9CCT5S/DUALDIM/EXT	✓	
36998	MFR4/9CCT5S/DUALDIM/EXT	✓	
36999	MFR6/9CCT5S/DUALDIM/EXT	✓	
37000	MFR6HO/9CCT5S/DUALDIM/EXT	✓	
37001	MFR8/9CCT5S/DUALDIM/EXT	✓	
37002	MFR8HO/9CCT5S/DUALDIM/EXT	✓	
37003	MGR4/9CCT5S/DUALDIM/EXT	✓	
37004	MGR6/9CCT5S/DUALDIM/EXT	✓	
N/A	NYXDM4RD/L079CCT5S/DUALDIM/**/	✓	
N/A	NYXDM4RD/L109CCT5S/DUALDIM/**/	✓	
N/A	NYXDM4RD/L159CCT5S/DUALDIM/**/	✓	
N/A	NYXDM4RD/L209CCT5S/DUALDIM/**/	✓	
N/A	NYXDM4RD/M9CCT5S/DUALDIM/**/	✓	
N/A	NYXDM4RD/S9CCT5S/DUALDIM/**/	✓	
N/A	NYXDM4SQ/L079CCT5S/DUALDIM/**/	✓	

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.



TITLE 20 / TITLE 24 & JA8

LUMINAIRES		
Product	Model	TITLE24 JA8
N/A	NYXDM4SQ/L109CCT5S/DUALDIM/**/**	✓
N/A	NYXDM4SQ/L159CCT5S/DUALDIM/**/**	✓
N/A	NYXDM4SQ/L209CCT5S/DUALDIM/**/**	✓
N/A	NYXDM4SQ/M9CCT5S/DUALDIM/**/**	✓
N/A	NYXDM4SQ/S9CCT5S/DUALDIM/**/**	✓
N/A	NYXDM6SQ/L079CCT5S/DUALDIM/**/**	✓
N/A	NYXDM6SQ/L109CCT5S/DUALDIM/**/**	✓
N/A	NYXDM6SQ/L159CCT5S/DUALDIM/**/**	✓
N/A	NYXDM6SQ/L209CCT5S/DUALDIM/**/**	✓
N/A	NYXDM6SQ/M9CCT5S/DUALDIM/**/**	✓
N/A	NYXDM6SQ/S9CCT5S/DUALDIM/**/**	✓
N/A	NYXDM8RD/L9CCT5S/DUALDIM1/**/**	✓
N/A	NYXICAT4RD/L079CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT4RD/L109CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT4RD/L159CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT4RD/L209CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT4RD/S9CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT4SQ/L079CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT4SQ/L109CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT4SQ/L159CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT4SQ/L209CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT4SQ/S9CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT6RD/M9CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT6RD/L259CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT6RD/L309CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT6RD/L409CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT6SQ/L079CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT6SQ/L109CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT6SQ/L159CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT6SQ/L209CCT5S/DUALDIM/**/**	✓
N/A	NYXICAT6SQ/S9CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4RD/L079CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4RD/L109CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4RD/L159CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4RD/L209CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4RD/M9CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4RD/S9CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4SQ/L079CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4SQ/L109CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4SQ/L159CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4SQ/L209CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4SQ/M9CCT5S/DUALDIM/**/**	✓
N/A	NYXNC4SQ/S9CCT5S/DUALDIM/**/**	✓
N/A	NYXNC6SQ/L079CCT5S/DUALDIM/**/**	✓
N/A	NYXNC6SQ/L109CCT5S/DUALDIM/**/**	✓
N/A	NYXNC6SQ/L159CCT5S/DUALDIM/**/**	✓
N/A	NYXNC6SQ/L209CCT5S/DUALDIM/**/**	✓
N/A	NYXNC6SQ/M9CCT5S/DUALDIM/**/**	✓
N/A	NYXNC6SQ/S9CCT5S/DUALDIM/**/**	✓
N/A	NYXNC8RD/L9CCT5S/DUALDIM1/**/**	✓
N/A	ATM110/9/**/DIM120V/**/**	✓

Note: All rights reserved. All sizes and specifications are subject to change at any time without notice.

TITLE 20 / TITLE 24 & JA8

LUMINAIRES		
Product	Model	TITLE24 JA8
N/A	ATM6/9**/**/DIM120V/**/**	✓
N/A	ORB/L/9**/**/DIM120V/**/**	✓
N/A	ORB/M/9**/**/DIM120V/**/**	✓
N/A	ORB/S/9**/**/DIM120V/**/**	✓
37961	NOVT/9CCTS/SD/DIM120V/UNV/H/BL	✓
37959	NOVT/9CCTS/SD/DIM120V/UNV/H/WH	✓
37962	NOVT/9CCTS/SD/DIM120V/UNV/J/BL	✓
37960	NOVT/9CCTS/SD/DIM120V/UNV/J/WH	✓
EMERGENCY SOLUTIONS		
Product	Model	TITLE20
37934	8EMINVERTER	✓
34959	10EMDRIVER	✓
38096	24EMINVERTER	✓
38119	40EMINVERTER	✓