

# CONTENT

LOBBY & LOUNGE	1
RECEPTION	3
CORRIDORS & TRANSITION AREAS	5
GUEST ROOMS & SUITES	7
BATHROOMS	9
GYMNASIUMS & WELLNESS AREAS	11
DINING SPACES	13
MULTIPURPOSE ROOMS	15
OFFICES & ADMINISTRATION	17
STORAGE	19
CONTROLS	21
EMERGENCY	23




# GREAT LIGHTING CREATES UNFORGETTABLE EXPERIENCES

From check-in to check-out, the user journey in a hospitality setting must be flawless. Lighting design is an important, but often overlooked, part of that experience. The right light brings pleasure and purpose to each room. Whether the booking is for a frequent customer in town for a meeting or a couple on a weekend getaway, great lighting makes the stay unforgettable.

Flexibility and energy efficiency are key for proper illumination. Each space in a hotel has a different function; the proper lighting design must be chosen to suit the needs of the room. Luminaires in some rooms and hallways may stay on for long periods of time, resulting in higher energy costs and more frequent replacements. To overcome these obstacles, hotels need a wide assortment of long-lasting, energy-efficient lighting products.

GREEN CREATIVE offers LED lighting solutions for each aspect of the hospitality industry. Whether the guest is sipping coffee in the café, attending a conference in a multi-purpose room, enjoying a workout in the gym, or reading before bed, the right lighting product ensures visual comfort throughout the stay.



## **DECO LARGE FILAMENT SERIES**











Either installed into an existing fixture or simply used as a stand alone fixture, these decorative light bulbs create a pleasant glow for a vintage or modern atmosphere. With unique spiral LED filament design inspired by incandescent bulbs, they fit flawlessly in any setting.

The deco large size filament series also best matches with our E26 base pendant light kit, offered in elegant golden finish or classic black finish.

These bulbs are 120V dimmable for individually customized illumination as well as more energy and cost savings. Full glass design, wet location rated and suitable for totally enclosed fixtures, the bulbs can be installed in various applications indoor or outdoor. Industry-leading long lifetime of 25,000 hours guarantee better durability and reliability.



### **A LAMPS**

- Suitable to replace 60W, 75W, 100W incandescent lamps
- Provides comfortable, diffused light
- Dimmable with forward and reverse phase controls



**SPECFIT** 

### REFINE PAR LAMPS

- Powered by TRUE CHROMA technology
- High color fidelity, balanced light distribution, and minimal glare
- Wide offering of CCTs, beam angles, and wattages



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels



### **REFINE MR LAMPS**

- Suitable to replace up to a 75W halogen MR lamp
- Powered by TRUE CHROMA technology (95 CRI min)
- Smooth dimming with most electronic low-voltage dimming controls



### PL LAMPS

- Replacements for fluorescent lamps from 7W - 42W
- Bases compatible with most fluorescent pin sockets
- Options for plug and play ballast install or wiring to line voltage



### **PXCYL**

- 2", 4", 6", 8" sizes
- Comprehensive mounting options
- Industry leading lumen selectable output up to 5,000lm



■ 4", 6", 8" & 9.5" form factors

■ TRUE CHROMA version available

■ Adjustable lumen output

### TROFFER KIT (LANCE)

- Architecturally designed volumetric troffer retrofit kit
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking



### VOLUMETRIC TROFFER (VOLA)

- Architecturally designed volumetric
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking



## **REFINE MR LAMPS**





lighting needs.







REFINE MR16 lamps are designed with GREEN CREATIVE's proprietary REFINE lens, efficiently delivering powerful light with intense center beam candle power and even light distribution, while eliminating uncomfortable glare. Powered by GREEN CREATIVE's TRUE CHROMA technology, these lamps ensure best in class color rendering and color consistency, while exceeding the most stringent industry efficiency criteria such as California's Title 20 and Title 24 JA8. REFINE MR lamps are designed to work with GREEN CREATIVE'S TRUE BEAM accessories which enable professionals to precisely realize any lighting design that can be imagined. With L70 rated long lifetime of 25,000 hours and backed by an industry leading 5-year warranty, REFINE MR16

lamps are perfect for fulfilling all kinds of hospitality



### PXCYL

- 2". 4". 6". 8" sizes
- Comprehensive mounting options
- Industry leading lumen selectable output up to 5,000lm



### **SPECFIT**

- 4". 6". 8" & 9.5" form factors
- Adjustable lumen output
- TRUE CHROMA version available



### **SELECTFIT G2**

- 4". 6". 8" & 9.5" form factors
- Field adjustable 3 level lumen
- outputs and 5 CCTs
- DualDim for both 120V TRIAC/ELV and 0-10V dimming



### MINIFIT

- 1" & 2" 360° rotation gimbals
- 2" module with extensive trim selections
- Perfect for shallow plenum construction





### **ORBIT TRACK**

- Specification grade & performance design ■ Spot, narrow & flood interchangeable
- Industry leading lumen selectable output range



### **REFINE PAR LAMPS**

- Powered by TRUE CHROMA technology
- High color fidelity, balanced light distribution, and minimal glare
- Wide offering of CCTs, beam angles, and wattages





### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels

# DISCOVERY LINEAR STRIP (DSC)

- Highly configurable spec grade strip
- No visible fasteners providing a smooth uninterrupted design
- Standard Efficacy (SE) and High Efficacy (HE) lumen packages
- 2', 4' & 8' lengths available

### **QWIKLINK STRIP (QL)**

- Versatile specification grade linear strip solution
- Ceiling, wall, pendant or suspension mounting option
- 2' & 4' lengths



# **CAVERN STAIRWELL (CV)**















ILP's Cavern Stairwell luminaire provides a safe, robust and attractive design ideal for wall or ceiling mounting. As stairwells are unoccupied 90% throughout the day, fully control light levels for both occupied and unoccupied areas with high/low user selectable bi-level dimming options for maximum energy savings. Cavern's specification design, performance, housing lengths, finishes, sensor and emergency options make it the proper choice for stairwell illumination.



### PL LAMPS

- Replacements for fluorescent lamps from 7W - 42W
- Bases compatible with most fluorescent pin sockets
- Options for plug and play ballast install or wiring to line voltage



### T8 LAMPS

- Options for plug and play ballast install, line voltage wiring, or external driver, are available
- Options for replacing most linear fluorescent lamps
- Wide light emitting area



### SELECTFIT G2

- 4", 6", 8" & 9.5" form factors ■ Field adjustable 3 level lumen
- outputs and 5 CCTs
- DualDim for both 120V TRIAC/ELV and 0-10V dimming



### 3N1

- 5", 7", 9" and 12" surface mount
- Adiustable CCT
- Direct ceiling, recessed housing & J-Box mounting options



### **CURVED WRAP (SQ)**

- Sleek curved profile wrap fixture
- Suitable for installing in continuous runs
- 2', 4' & 8' lengths



### **QWIKLINK STRIP (QL)**

- Versatile specification grade linear strip solution
- Ceiling, wall, pendant or suspension mounting option
- 2' & 4' lengths



### **UTILITY WRAP (SWR)**

- Sleek modern design
- Suitable for continuous run applications
- 2ft and 4ft configurations



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels



### VOLUMETRIC TROFFER (VOLA)

- Architecturally designed volumetric troffer
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking



# **MINIFIT**

















At less than two inches, the miniFIT series of recessed fixtures pack a powerful punch from a small, shallow design. Perfectly sized for installation in casework, soffits, bulkheads and other shallow plenum applications. Get the right light in the right place with the miniFIT gimbals, or to complement many different applications with a variety of field interchangeable trim options offered by the miniFIT 2" modules. The 90 CRI miniFIT series of fixtures provide the right light for your wall wash, wall grazing or highlighting need for hospitality areas.



### A LAMPS

- Suitable to replace 60W, 75W, 100W incandescent lamps
- Provides comfortable, diffused light
- Dimmable with forward and reverse phase controls



### **REFINE MR LAMPS**

- Suitable to replace up to a 75W halogen MR lamp
- Powered by TRUE CHROMA technology (95 CRI min)
- Smooth dimming with most electronic low-voltage dimming controls



### **SELECTFIT G2**

- 4". 6". 8" & 9.5" form factors
- Field adjustable 3 level lumen outputs and 5 CCTs
- DualDim for both 120V TRIAC/ELV and 0-10V dimming



### ATOM TRACK

- Classic, minimalistic, cylindrical form factor
- CRI 90, 2700K, 3000K, 4000K CCTs
- Up to 1050 lumens in 25° or 35° beam angles



### **CLICK WITH SENSOR**

- Integrated PIR sensor
- Wet, IC & Air-tight rated
- Nonconductive polycarbonate trim



### 3N1

- 5", 7", 9" and 12" surface mount
- Adjustable CCT
- Direct ceiling, recessed housing & J-Box mounting options



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels



### DISCOVERY LINEAR STRIP (DSC)

- No visible fasteners providing a
- Standard Efficacy (SE) and High Efficacy (HE) lumen packages
- 2', 4' & 8' lengths available



■ Versatile specification grade linear

■ Ceiling, wall, pendant or suspension

### **QWIKLINK STRIP (QL)**

- Highly configurable spec grade strip
- smooth uninterrupted design
- 2' & 4' lengths

strip solution

mounting option



# **CLICK WITH SENSOR**









The integral passive infrared sensor of the CLICK surface mount fixture helps deliver a balance between high quality 90 CRI light and energy savings in variable occupancy spaces. Turning on instantly with room occupancy and off after ten minutes of room vacancy, the CLICK provides easy and reliable fixture control and performance.



### PL LAMPS

- Replacements for fluorescent lamps from 7W - 42W
- Bases compatible with most fluorescent pin sockets
- Options for plug and play ballast install or wiring to line voltage



### **VERSA & PREMIUM FILAMENTS**

- High CRI and R values (R9 53, R13 93) deliver richer reds and healthier skin tones
- Omnidirectional beam angle
- Suitable for use in wet location



### MINIFIT

- 1" & 2" 360° rotation gimbals
- 2" module with extensive trim selections
- Perfect for shallow plenum construction



### TROFFER KIT (LANCE)

- Architecturally designed volumetric troffer retrofit kit
- High efficacy up to 151 lm/W for
- enhanced energy savings ■ Advanced controls options for asset
- tracking



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels



### **DISCOVERY LINEAR STRIP (DSC)**

- Highly configurable spec grade strip
- No visible fasteners providing a smooth uninterrupted design
- Standard Efficacy (SE) and High Efficacy (HE) lumen packages
- 2', 4' & 8' lengths available



- Ceiling, wall, pendant or suspension



### **QWIKLINK STRIP (QL)**

- Versatile specification grade linear strip solution
- mounting option
- 2' & 4' lengths



# **PXCYL**











PXCYL is a versatile series of cylinder downlights with brilliant performance. Featured with SelectDrive technology, PXCYL allows for field selection of three lumen outputs with either 120V or 0-10V dimmable option. Field-interchangeable optical accessories let the user choose from five beam angles. PXCYL series of downlights offer comprehensive mounting choices, including surface, wall, wall up-light, pendant, suspension, and track suspension, available in four sizes. From artistic to purely utilitarian, the PXCYL is suitable for any commercial or residential application. PXCYL has been engineered to ensure color uniformity. Five color temperatures at 90 CRI are available, and a TRUE CHROMA option for 3000K models helps you meet the most stringent color fidelity requirements.



### T8 LAMPS

- Options for plug and play ballast install, line voltage wiring, or external driver, are available
- Options for replacing most linear fluorescent lamps
- Wide light emitting area



### T5 LAMPS

- Meets NSF requirements, plastic construction will not shatter
- Options for plug and play ballast install, line voltage wiring, or external driver, are available



### 3N1

- 5", 7", 9" and 12" surface mount
  - Adjustable CCT
  - Direct ceiling, recessed housing & J-Box mounting options



### **SELECTFIT G2**

- 4", 6", 8" & 9.5" form factors
- Field adjustable 3 level lumen outputs and 5 CCTs
- DualDim for both 120V TRIAC/ELV and 0-10V dimming



### **SPECFIT**

- 4", 6", 8" & 9.5" form factors
- Adjustable lumen output
- TRUE CHROMA version available



### **ROUND HIGH BAY (RB4)**

- Aesthecially pleasing compact round high bay
- Frosted primary lens & diffusers provide soothing optics
- 14,000 to 34,000 lumens



### ENDEAVOUR HIGH BAY (EDV 2.0) EVEREST HIGH BAY (EVT)

- Sleek curved polycarbonate end caps for polished look
- Uplight option to enhance full room illumination
- White & black housing options



- 12,000 to 56,000 Lumens
- Factory or Field Installed Narrow Distribution Optics
- Optional BAA models Available





# **BACK LIT FLAT PANEL** (VPAN SELECT)


























- Options for plug and play ballast install, line voltage wiring, or external
- Options for replacing most linear fluorescent lamps
- Wide light emitting area

driver, are available

**T8 LAMPS** 



- Meets NSF requirements, plastic construction will not shatter
- Options for plug and play ballast install, line voltage wiring, or external driver, are available



- 2", 4", 6", 8" sizes
- Comprehensive mounting options
- Industry leading lumen selectable output up to 5.000lm



### **SELECTFIT G2**

- 4", 6", 8" & 9.5" form factors
- Field adjustable 3 level lumen outputs and 5 CCTs
- DualDim for both 120V TRIAC/ELV and 0-10V dimming



### **DECO LARGE FILAMENTS**

- Unique and abundant form factors ■ Installed into a light fixture or simply used alone
- Optional golden or black E26 pendant light kit



### **GRID FRAME HIGH BAY (GH)**

- High performance recessed high bay
- Various lens options for aesthetics
- 2x2' & 2x4' sizes



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels



### **VOLUMETRIC TROFFER (VOLA)**

- Architecturally designed volumetric
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking



### TROFFER KIT (LANCE)

- Architecturally designed volumetric troffer retrofit kit
  - High efficacy up to 151 lm/W for enhanced energy savings
  - Advanced controls options for asset tracking





The REFINE PAR56 lamp is designed with a proprietary GREEN CREATIVE driver which provides flicker free dimming performance with most forward and reverse phase controls. The REFINE optic maximizes the center beam candle power from our 90+ CRI light engine while eliminating glare. The heatsink design allows the lamp to be used in enclosed applications and still maintain a 50,000 hour lifetime. The REFINE PAR56 lamps will replace any GX16d base 300W-500W halogen lamp. The compatible PAR64 adapter ring is also available for easy retrofitting in PAR64 fixtures.

# **PAR56 LAMP**







**REFINE VHO PAR38** 

visual fatigue

■ Powerful light output of 3,000 lumens

■ Flicker Free lighting effect reduces

■ Dims to black with most forward

and reverse phase controls

- Aesthecially pleasing compact round high bay
- Frosted primary lens & diffusers provide soothing optics
- 14,000 to 34,000 lumens



■ Comprehensive mounting options

**PXCYL** 

■ 2", 4", 6", 8" sizes

output up to 5,000lm

### **VOLUMETRIC TROFFER (VOLA)**

- Architecturally designed volumetric
- High efficacy up to 151 lm/W for enhanced energy savings
- tracking




■ 4", 6", 8" & 9.5" form factors

■ Adjustable lumen output

**SPECFIT** 

### TROFFER KIT (LANCE)

- Advanced controls options for asset




troffer retrofit kit



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens



**ENDEAVOUR HIGH BAY (EDV 2.0)** 

■ Uplight option to enhance full room illumination

■ White & black housing options

### GRID FRAME HIGH BAY (GH)

■ 2x2' & 2x4' sizes

- High performance recessed high bay
- Various lens options for aesthetics
  - Acoustic Drop Panels



■ Architecturally designed volumetric



# TRACK FAMILY SOLUTION













A track lighting family centered around meeting your hospitality lighting needs. With field-adjustable lumen outputs, multiple mounting options, a variety of beam angles, and an extensive suite of accessories and lenses, you can be sure that your application is getting the focus it deserves. GREEN CREATIVE also offers its own track system for your new construction or remodel applications.





### **T8 LAMPS**

- Options for plug and play ballast install, line voltage wiring, or external driver, are available
- Options for replacing most linear fluorescent lamps
- Wide light emitting area

**SELECTFIT G2** 



### T5 LAMPS

- Meets NSF requirements, plastic construction will not shatter
- Options for plug and play ballast install, line voltage wiring, or external driver, are available



### **PL LAMPS**

- Replacements for fluorescent lamps from 7W - 42W
- Bases compatible with most fluorescent pin sockets
- Options for plug and play ballast install or wiring to line voltage





- 4", 6", 8" & 9.5" form factors
- Field adjustable 3 level lumen outputs and 5 CCTs
- DualDim for both 120V TRIAC/ELV and 0-10V dimming



- 4", 6", 8" & 9.5" form factors
- Adjustable lumen output
- TRUE CHROMA version available



- 2", 4", 6", 8" sizes
- Comprehensive mounting options
- Industry leading lumen selectable output up to 5,000lm



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels





### **VOLUMETRIC TROFFER (VOLA)**

- Architecturally designed volumetric
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking

### **QWIKLINK STRIP (QL)**

- Versatile specification grade linear strip solution
- Ceiling, wall, pendant or suspension mounting option
- 2' & 4' lengths



# **QWIKLINK STRIP (QL)**





QWIKLINK's standard field selectable Lumen and CCT features provide complete flexibility at your fingertips. Utilize its toolless QWIKLINK connector for uninterrupted, continuous row illumination up to 64 linear feet with only one electrical power entry. These features drastically reduce installation time and increase project efficiencies. With these adaptable and robust features, QWIKLINK is the optimal choice for any interior linear environment.



### PL LAMPS

- Replacements for fluorescent lamps from 7W - 42W
- Bases compatible with most fluorescent pin sockets
- Options for plug and play ballast install or wiring to line voltage



### T8 LAMPS

- Options for plug and play ballast install, line voltage wiring, or external driver, are available
- Options for replacing most linear fluorescent lamps
- Wide light emitting area



### **INNOFIT PLUS**

- 4". 6". 8" & 9.5" form factors ■ Field adjustable 3 level lumen
- outputs and 3 CCTs ■ Wet, IC, and Air-tight rated



### **CLICK WITH SENSOR**

- Integrated PIR sensor
- Wet, IC & Air-tight rated
- Nonconductive polycarbonate trim



### **ENDEAVOUR HIGH BAY (EDV 2.0)**

- Sleek curved polycarbonate end caps for polished look
- Uplight option to enhance full room illumination
- White & black housing options



### DISCOVERY LINEAR STRIP (DSC)

- Highly configurable spec grade strip ■ No visible fasteners providing a
  - smooth uninterrupted design
  - Standard Efficacy (SE) and High Efficacy (HE) lumen packages
  - 2', 4' & 8' lengths available



### **UTILITY WRAP (SWR)**

- Sleek modern design
- Suitable for continuous run applications
- 2ft and 4ft configurations



### **CURVED WRAP (SQ)**

- Sleek curved profile wrap fixture
- Suitable for installing in continuous runs
- 2', 4' & 8' lengths



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
  - Various Lens Options
  - Acrylic Drop Lens
  - Acoustic Drop Panels



# **SKYLINE AREA & FLOOD** (SA/SF)

















The Skyline's sleek aesthetic makes it perfectly-suited for hospitality area & flood applications. Designed for both new construction and retrofit, the Skyline provides a one-for-one solution for replacing legacy metal halide or high pressure sodium luminaires. Priced for payback, it's cost effective die-cast aluminum housings comes in 2-sizes and DLC Premium efficacies, making it the best choice for low acquisition cost and high energy savings. The highly configurable Skyline provides superior illumination, unparalleled uniformity, reliability, and ease of installation, exceeding most application requirements.



### VIEWPOINT AREA LIGHT (VA)

- Lumen Selectable with 14,000 - 42,000 lumens
- T3, T4, T5 Rotatable Optical Distributions
- PIR Occupancy, Photocell, & Bi-Level Dimming sensors available
- Adjustable Pole(Rd/Sq), Wall, or Slip-fitter mounting options



### SLIM WALL PACK (SWP)

- Fully adjustable with 5 light levels & 2 sizes
- CCT Selectable (std), Lumen Selectable with FAO Device
- Battery Backup & PIR Sensor Options



### **UFO PARKING / CANOPY (UFO)**

- Sensor & wireless controls ready



- 2,000-40,000 lumens
- CCT & lumen selectable (up to 14k lumens)
- Knuckle, Trunnion, Slip-Fitter, & Pole Mount Options



### FULL CUTOFF WALL PACK (WPC) ■ 2 sizes with multiple optical

- distributions
- Legacy aesthetic with next generation performance
- Sensor & wireless controls ready



### OW SERIES WALL PACK (OW) SQUARE CANOPY(CP)

- CCT & Lumen Selectable ■ 4 Lumen packages delivering ■ 3 sizes with up to 16,000 Lumens
  - 3,000 9,000 Lumens ■ White or bronze finish
  - Microwave sensor ready



@148 LPW

- Visually comfortable illumination
- 10% uplight reduces cave effect



■ Integral battery backups available

### BOLLARDS (BxT)

- 6" flat or dome top bollards
- Value driven, quick ROI
- Multiple beam patterns



### **POLES & BRACKETS**

- Straight round or square steel poles up to 40'
- Multiple bullhorn, wall, and wood pole mounting options
- Adapters for every site scenario



# **CONTROLS SOLUTIONS**





- Economical grouping solution
- Occupancy & daylight functions
- Programmable with phone app
- Wireless scalable design
- No gateway required



# synapse

- 2.4 GHz Wireless Mesh Network
- Occupancy, daylight, zone, scene, & scheduling control with optional energy monitoring
- Secure wireless scalable design
- Gateway for enhanced functionality





- Occupancy & RF solutions
- Occupancy, daylight, & demand response capabilities
- Wireless scalable design
- Vive HUB for enhanced functionality






Athena wireless node is a radio frequency (RF) device that enables simple, digital control of individual light fixtures in an Athena control system. Enables individual wireless control of each fixture in an Athena control system. Accommodates zone and control changes without rewiring. All drivers on the link are controlled as a single zone. Provided with factory installed components only. Lutron Athena system provided by others.





- Economical bluetooth grouping solution (16 Devices)
- Occupancy & daylight functions
- Easy Commissioning with bluetooth enabled Android or iOS Device
- No gateway required
- Optional Scheduling Feature





# **EMERGENCY SOLUTIONS**

### ILP EXEM



### **GREEN CREATIVE**



### **GREEN CREATIVE**



### шим





- Full line of signs and lights for code compliance
- All products feature thermoplastic housings and LED lighting heads
- Standard and High Output available for varying mounting heights and spacings
- DOE and CEC registered



### GREENCREATIVE

- 5W, 10W, 23W versions
- Specifically designed to work with a wide variety of GREEN CREATIVE's lamps and fixtures
- Meets or exceeds all NEC and life safety code emergency lighting requirements
- CA Title 20 compliant version available



### **GREENCREATIVE**

- Industry's first CCT select emergency T8
- Constant power output in emergency mode for a minimum of 90 minutes
- Field selectable three color temperatures
- Continuous self-test design to ensure tube safety



- Fulham's HotSpot 10.7W, 13.7W and 17W constant power emergency drivers
- Bring field-installable backup power to LED luminaires
- All standard models are now CA Title 20 compliant

# HOSPITALITY APPLICATION BROCHURE





www.greencreative.com

www.ilp-inc.com

An ILLUMUS Brand

www.ILLUMUS.com