

# **CONTENT**

MERCHANDISE DISPLAY	2
FRESH FOOD & GROCERY	4
POINT OF SALE	6
COMMON AREA	8
BATHROOMS	12
BACK OF HOUSE	14
EXTRIOR & SIGNAGE	16
CONTROLS	18
EMERGENCY	20



# **ORBIT TRACK LIGHT**











With a variety of mounting options, field-interchangeable TIR optics, snap-in light diffusion accessories, and customizable ordering options, GREEN CREATIVE's new track light is useful in almost any track lighting application. The ORBIT is a compact, lightweight, and robust U.S.-assembled solution which enjoys a 50,000-hour L70 lifetime rating. Select between low and high lumen outputs using the SelectDrive switch on the back of the fixture.



### **REFINE PAR LAMPS**

- Powered by TRUE CHROMA technology (95 CRI min)
- High color fidelity, balanced light distribution, and minimal glare
- Wide offering of CCTs, beam angles, and wattages



### **NOVA TRACK LIGHT**

- Wide and uniform lighting across expansive surfaces from top to bottom
- Field selectable CCT and lumen levels
- 360° rotating head and 90° pivot design



### POWER AND CCT SELECT HID REPLACEMENT LAMPS

- secure power and CCT settings after installation
- output levels
- Available in classic A21, A23 and PS30 bulb shapes



### ATOM TRACK

- Classic, minimalistic, cylindrical form factor
- CRI 90, 2700K, 3000K, 4000K CCTs
- Up to 1050 lumens in 25° or 35° beam angles



halogen MR lamp

■ Powered by TRUE CHROMA

■ Smooth dimming with most electronic

low-voltage dimming controls

technology (95 CRI min)

### REFINE MR LAMPS ■ Suitable to replace up to a 75W

- Innovative locking cover to
- Field selectable CCT and light



### **PXCYL CYLINDERS**

- Elegant design with wide application use
- Five interchangable beams angles
- Industry leading lumen selectable output up to 5,000lm



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels



# DISCOVERY NARROW TROFFER (DNT)

- Sleek, compact and modern troffer
- Slim 4" lens width
- Grid, Flange, Surface & Skylight mounting options
- 1,000 to 12,000 Lumens
- 2', 4', & 8' Sizes



### **DISCOVERY LINEAR STRIP (DSC)**

- Highly configurable spec grade strip
- No visible fasteners providing a smooth uninterrupted design
- Standard Efficacy (SE) and High Efficacy (HE) lumen packages
- 2', 4' & 8' lengths available



# **REFINE PAR LAMPS**













REFINE Pars featuring TRUE CHROMA technology deliver the color accuracy critical to replace Ceramic Metal Halide lamps. Available in 277V these long life lamps deliver high intensity light perfect for highlighting grocery, merchandise, and other displays, without compromising efficiency.



### AdjustaPAR LAMPS

- 2 selectable beam angles
- 5 selectable CCTs
- Compatible with SOL Track Head



### **HO PAR LAMPS**

- Very high light output
- Suitable to replace 75W/250W halogen and 39W/70W CMH
- Exceptional color rendering CRI 92



### **SPECFIT**

- 4". 6". 8" & 9.5" form factors
- Adjustable lumen output
- TRUE CHROMA version available



### SOL TRACK HEAD

- Integrate durable track housing with upgradable LED PAR lamps
- 2-plane gimbal design
- Options of H and J type adapters



### ATOM TRACK

- Classic, minimalistic, cylindrical form factor
- CRI 90, 2700K, 3000K, 4000K CCTs
- Up to 1050 lumens in 25° or 35° beam angles



### ORBIT TRACK

- Specification grade & performance design ■ Spot, narrow & flood interchangeable optics
- Industry leading lumen selectable output range



### **ROUND HIGH BAY (RB5)**

- Customizable illumination with CCT select and a variety of diffuser and reflector options
- IP65-rated, IK10 impact-resistant construction
- Simple installation with versatile mounting options



### SLIM STRIP (SS 3.0)

- 1.9" Width
- Lumen and CCT Selectable
- 2,000 to 12,000 Lumens
- 2', 4', & 8' Sizes



### **ENDEAVOUR HIGH BAY (EDV 2.0)**

- Sleek curved polycarbonate end caps for polished look
- Uplight option to enhance full room illumination
- White & black housing options



# **BACK LIT FLAT PANEL** (VPAN SELECT)



















VPAN Select takes the ubiquitous Flat Panel luminaire to the next level with full selectability of lumen output and color temperature. It is the perfect solution for many troffer applications and the new selectability offers simplicity and SKU reduction opportunities. Designed with micro-optics that produce smooth and uniform low-glare illumination for optimal visual comfort. Its built-in tool-less field-selectable technology offers three lumen options and three CCT options offering elite versatility when needed most. With a depth under 2", VPAN's robust die-formed housing easily installs in shallow plenums with room to spare.



### REFINE PAR LAMPS

- Powered by TRUE CHROMA technology (95 CRI min)
- High color fidelity, balanced light distribution, and minimal glare
- Wide offering of CCTs, beam angles, and wattages



### T8 LAMPS

- Options for plug and play ballast install, line voltage wiring, or external driver, are available
- Options for replacing most linear fluorescent lamps
- Wide light emitting area



### **SPECFIT**

- 4". 6". 8" & 9.5" form factors ■ Adjustable lumen output
- TRUE CHROMA version available



### **SELECTFIT G3**

- 4", 6", 8" & 9.5" form factors
- ■Innovative lock cover for CCT and power settings
- DualDim for both 120V TRIAC/ELV and 0-10V dimming



### ATOM TRACK

- Classic, minimalistic, cylindrical form factor
- CRI 90, 2700K, 3000K, 4000K CCTs
- Up to 1050 lumens in 25° or 35° beam angles




### **VOLUMETRIC TROFFER (VOLA)**

- Architecturally designed volumetric
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking



- Architecturally designed volumetric troffer retrofit kit
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking



- Highly configurable spec grade strip
- No visible fasteners providing a smooth uninterrupted design
- Standard Efficacy (SE) and High Efficacy (HE) lumen packages
- 2', 4' & 8' lengths available



# **DISCOVERY NARROW TROFFER**

- Sleek, compact and modern troffer
- Slim 4" lens width
- Grid, Flange, Surface & Skylight mounting options
- 1,000 to 12,000 Lumens
- 2', 4', & 8' Sizes



# **SPECFIT**





















SPECFIT downlight fixtures are a flexible, customizable solution for a variety of retail locations. From large spaces with high open ceilings to narrow hallways with a suspended grid ceiling, the SpecFit can easily provide the right combination of optical performance, energy savings, and advanced lighting control integration needed for retail spaces.



### **REFINE PAR LAMPS**

- Powered by TRUE CHROMA technology (95 CRI min)
- High color fidelity, balanced light distribution, and minimal glare
- Wide offering of CCTs, beam angles, and wattages




### T8 LAMPS

- Options for plug and play ballast install, line voltage wiring, or external driver, are available
- Options for replacing most linear fluorescent lamps
- Wide light emitting area



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens



- 1,000 to 12,000 Lumens
- 2', 4', & 8' Sizes



### **CCT SELECT BR LAMPS**

- Suitable to replace up to 85W incandescent lamps
- Provides comfortable, diffused light
- Dimmable with forward and reverse phase controls
- Five field selectable CCTs

**SELECTFIT G3** 

power settings

and 0-10V dimming

■ 4", 6", 8" & 9.5" form factors

■ Innovative lock cover for CCT and

■ DualDim for both 120V TRIAC/ELV



### **PL LAMPS**

- Replacements for fluorescent lamps from 7W - 42W
- Bases compatible with most fluorescent pin sockets
- Options for plug and play ballast install or wiring to line voltage
- Options for field selectable CCTs



### **INNOFIT PLUS**

- 4", 6", 8" & 9.5" form factors
- Field adjustable 3 level lumen outputs and 3 CCTs
- Wet, IC, and Air-tight rated



# DISCOVERY NARROW TROFFER (DNT)

- Sleek, compact and modern troffer
- Slim 4" lens width
- Grid, Flange, Surface & Skylight mounting options



■ High efficacy - up to 151 lm/W for enhanced energy savings

**VOLUMETRIC RETROFIT KIT (LANCE)** 

■ Advanced controls options for asset tracking






### SLIMFIT SURFACE DOWNLIGHT

















Available in 5", 7" and 9" sizes, SLIMFIT surface downlights deliver light output from 820lm to 1250lm for general lighting applications. Featured with SelectKelvin technology, SLIMFIT allows for easy selections of color temperatures in 2700K, 3000K, 3500K, 4000K and 5000K. High CRI 90 and 4-steps SDCM binning ensures superior color accuracy and consistency. The product is engineered for Air-Tight, IC Rated and Wet Location rated applications with easy installation.



### **REFINE PAR LAMPS**

- Powered by TRUE CHROMA technology (95 CRI min)
- High color fidelity, balanced light distribution, and minimal glare
- Wide offering of CCTs, beam angles, and wattages



### **ORBIT TRACK**

- Specification grade & performance design 4", 6", 8" & 9.5" form factors
- Spot, narrow & flood interchangeable optics Adjustable lumen output



### **SPECFIT**

- Industry leading lumen selectable output TRUE CHROMA version available



### MULTIFIT

- Flat. Cloud, and Gimbal options
- 4". 6" and 8" sizes
- DualDim for both 120V Triac/ELV and 0-10V dimming



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels



### **VOLUMETRIC TROFFER (VOLA)**

- Architecturally designed volumetric
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking







### VOLUMETRIC RETROFIT KIT (LANCE) DISCOVERY LINEAR STRIP (DSC) SLIM STRIP (SS 3.0)

- Architecturally designed volumetric troffer retrofit kit
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking

- Highly configurable spec grade strip
- No visible fasteners providing a smooth uninterrupted design
- Standard Efficacy (SE) and High Efficacy (HE) lumen packages
- 2', 4' & 8' lengths available

- 1.9" Width
- Lumen and CCT Selectable
- 2,000 to 12,000 Lumens
- 2', 4', & 8' Sizes



# **VOLUMETRIC TROFFER (VOLA)**

















VOLA is designed for rigidity, durability and ease of installation while providing maximum performance and improved aesthetics. With an exceptionally robust offering of lumen outputs, sizes and options, VOLA is designed for a multitude of applications.



### **CCT SELECT A LAMPS**

- Suitable to replace 60W, 75W, 100W incandescent lamps
- Provides comfortable, diffused light
- Dimmable with forward and reverse phase controls

■ Options for plug and play ballast

■ Field selectable CCTs

**T8 LAMPS** 

driver, are available

fluorescent lamps ■ Wide light emitting area



### G25 LAMP

- Suitable to replace a 40W incandescent G25 lamp
- Smooth dimming with existing
- Frosted glass diffuser delivers soft and even light distribution



### **PL LAMPS**

- Replacements for fluorescent lamps from 7W - 42W ■ Bases compatible with most fluorescent
- pin sockets
- Options for plug and play ballast install or wiring to line voltage
- Options for field selectable CCTs



### SLIMFIT SURFACE DOWNLIGHT

- 5", 7" and 9" sizes
- Deliver lumen output from 820lm install, line voltage wiring, or external to 1250lm for general lighting applications ■ Options for replacing most linear
  - Five field selectable CCTs



### **ENVI DESIGNER PANEL**

- Lumen and CCT Selectable
- Various Lens Options
- Acrylic Drop Lens
- Acoustic Drop Panels







### VOLUMETRIC RETROFIT KIT (LANCE) DISCOVERY LINEAR STRIP (DSC) UTILITY WRAP (SWR)

- Architecturally designed volumetric troffer retrofit kit
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking

- Highly configurable spec grade strip
  - No visible fasteners providing a smooth uninterrupted design
  - Standard Efficacy (SE) and High Efficacy (HE) lumen packages
  - 2', 4' & 8' lengths available



- Sleek modern design
- Suitable for continuous run applications
- 2ft and 4ft configurations



# **UTILITY WRAP (SWR)**













With its slim design, the SWR Utility Wrap offers a versatile and simple solution to commercial and industrial project lighting. Lumen and CCT selectable, this luminaire is the perfect linear solution for a multitude of spaces. The integrated driver, combined with the sleek body design, creates an efficient solution to illuminate your space without sacrificing aesthetics.



### **T8 LAMPS**

- Options for plug and play ballast install, line voltage wiring, or external driver, are available
- Options for replacing most linear fluorescent lamps
- Wide light emitting area



### **PL LAMPS**

- Replacements for fluorescent lamps from 7W - 42W
- Bases compatible with most fluorescent outputs and 3 CCTs pin sockets
- Options for plug and play ballast install or wiring to line voltage
- Options for field selectable CCTs



### **INNOFIT PLUS**

- 4". 6". 8" & 9.5" form factors
- Field adjustable 3 level lumen
- Wet, IC, and Air-tight rated



### **BACK LIT FLAT PANEL** (VPAN SELECT)

- Lumen selectable output
- Three selectable CCTs
- Low profile design



- 1x4', 2x2' & 2x4' sizes





- Architecturally designed volumetric
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking



### **VOLUMETRIC RETROFIT KIT (LANCE)**

- Architecturally designed volumetric troffer retrofit kit
- High efficacy up to 151 lm/W for enhanced energy savings
- Advanced controls options for asset tracking








### DISCOVERY LINEAR STRIP (DSC)

- Highly configurable spec grade strip
- No visible fasteners providing a smooth uninterrupted design
- Standard Efficacy (SE) and High Efficacy (HE) lumen packages
- 2', 4' & 8' lengths available
- Sleek curved polycarbonate end
- caps for polished look
- Uplight option to enhance full room illumination
- White & black housing options



- Customizable illumination with CCT select and a variety of diffuser and reflector options
- IP65-rated, IK10 impact-resistant construction
- Simple installation with versatile mounting options





# **SKYLINE AREA & FLOOD** (SA/SF)



The Skyline's sleek aesthetic makes it perfectly-suited for warehouse area & flood applications. Designed for both new construction and retrofit, the Skyline provides a one-for-one solution for replacing legacy metal halide or high pressure sodium luminaires. Priced for payback, it's cost effective die-cast aluminum housings comes in 3-sizes and DLC Premium efficacies, making it the best choice for low acquisition cost and high energy savings. The highly configurable Skyline provides superior illumination, reliability, and ease of installation, exceeding most application requirements.



### SKYLINE WALL PACK

- Specification Grade die-cast aluminum housing
- Available in three sizes, delivering 1,000 to 24,000 lumens at up to 150 LPW
- Quick mount bracket enables handsfree wiring and simplifies installation



- Type 3, 4, & 5 distributions
- Lumen selectable from 14,000 to 42.000 lumens
- Adjustable Pole(Rd/Sq), Wall, or



### VIEWPOINT AREA LIGHT 2.0 (VA) VIEWPOINT FLOOD (VF)

- Slip-fitter mounting options
- 2,000-40,000 lumens ■ CCT & lumen selectable (up to 14k lumens)

■ 5 luminaire scales delivering

■ Knuckle, Trunnion, Slip-Fitter, & Pole Mount Options



### **VIEWPOINT WALL PACK 2.0** (WWW)

- Full cutoff type 3 & 4 distributions ■ CCT & lumen selectable
- (up to 14k lumens) Optional sensors and battery backups



### UNIFY WALL MOUNT

- Available in 3", 4" and 6" sizes
- Field selectable power output levels and CCTs
- Four different beam options
- Can be configured for direct-indirect, direct-only, or indirect-only lighting



### **VALUE SQUARE CANOPY (CP)**

- Save up to 85% in energy
- Quickly meet financial payback thresholds
- Microwave sensor ready



### ROUND PARKING GARAGE (UFO) BOLLARDS (BxT)

- Visually comfortable illumination
- 10% uplight reduces cave effect
- Sensor & wireless controls ready



- 8" flat or dome top bollards
- - Multiple beam patterns





- Straight square steel poles up to 40'
- Multiple bullhorn, wall, and wood pole mounting options
- Adapters for every site scenario



- Value driven, quick ROI





## **CONTROLS SOLUTIONS**









- Easy Setup: Intuitive and user-friendly interface ensures a hassle-free setup process.
- Fixture Grouping: Effortlessly group your lighting fixtures for centralized control.
- Customizable Settings: Adjust brightness, color temperature, and more to create the perfect ambiance for any occasion.
- Scheduling: Set custom schedules to automate your lighting and enhance energy efficiency.
- Automation: Use advanced automation features to sync your lighting with daylight harvesting, occupancy sensing, and time scheduling.







- Economical grouping solution
- Occupancy & daylight functionsProgrammable with phone app
- Wireless scalable design
- No gateway required



# synopse

- 2.4 GHz Wireless Mesh Network
- Occupancy, daylight, zone, scene, & scheduling control with optional energy monitoring
- Secure wireless scalable design
- Gateway for enhanced functionality






- Occupancy & RF solutions
- Occupancy, daylight, & demand response capabilities
- Wireless scalable design
- Vive HUB for enhanced functionality



# **\$LUTRON**

- Athena wireless node is a radio frequency (RF) device that enables simple, digital control of individual light fixtures in an Athena control system.
- Enables individual wireless control of each fixture in an Athena control system.
- Accommodates zone and control changes without
- All drivers on the link are controlled as a single zone. Provided with factory installed components only. Lutron Athena system provided by others.



# **EMERGENCY SOLUTIONS**

### **ILP EXEM**







### **GREEN CREATIVE**







### **GREEN CREATIVE**







### **EMERGENCY LIGHTING SOLUTIONS**





- Full line of signs and lights for code compliance
- All products feature thermoplastic housings and LED lighting heads
- Standard and High Output available for varying mounting heights and spacings
- DOE and CEC registered



### GREENCREATIVE

- Multiple wattage selections from 5W to 24W
- Specifically designed to work with a wide variety of GREEN CREATIVE's lamps and fixtures
- Meets or exceeds all NEC and life safety code emergency lighting requirements
- CA Title 20 compliant version available
- Additional accessories options for various mounting methods



### **GREENCREATIVE**

- Can be used as either UL 924 listed emergency device or DLC listed UL Type B T8
- Constant power output in emergency mode for a minimum of 90 minutes
- Field selectable three color temperatures
- Continuous self-test design to ensure tube safety
- Emergency Drivers & Inverters (including Self-Diagnostic, High Efficacy, and Title 20 Compliant models)
- Dimming Transfer Devices
- Generator Transfer Switches
- Fire Alarm-Activated Relays & Dry Contact Interfaces
- Solutions compatible across multiple brands and luminaire platforms

# RETAIL APPLICATION BROCHURE





www.greencreative.com

www.ilp-inc.com

An ILLUMUS Brand

www.ILLUMUS.com