

**PXCYL DIM. Compatible**

**MODEL**

0-10V Models: PXCYL2/yy/LES90xx/KDIM010UNV  
 PXCYL4/yy/LES90xx/KDIM010UNV  
 PXCYL4/yy/LEM90xx/KDIM010UNV  
 PXCYL6/yy/LES90xx/KDIM010UNV  
 PXCYL6/yy/LEM90xx/KDIM010UNV  
 PXCYL6/yy/LEL90xx/KDIM010UNV  
 PXCYL8/yy/LES90xx/KDIM010UNV  
 PXCYL8/yy/LEM90xx/KDIM010UNV  
 PXCYL8/yy/LEL90xx/KDIM010UNV  
 PXCYLDI4/yy/LEM/9xx/DIM010UNV  
 PXCYLDI6/yy/LEM/9xx/DIM010UNV  
 PXCYLDI4/yy/LEL/9xx/DIM010UNV  
 PXCYLDI6/yy/LEL/9xx/DIM010UNV

120V Models: PXCYL2/yy/LES90xx/KDIM0120V  
 PXCYL4/yy/LES90xx/KDIM120V  
 PXCYL4/yy/LEM90xx/KDIM120V  
 PXCYL6/yy/LES90xx/KDIM120V  
 PXCYL6/yy/LEM90xx/KDIM120V  
 PXCYL6/yy/LEL90xx/KDIM120V  
 PXCYL8/yy/LES90xx/KDIM120V  
 PXCYL8/yy/LEM90xx/KDIM120V  
 PXCYL8/yy/LEL90xx/KD  
 PXCYLDI4/yy/LEM/9xx/DIM120V  
 PXCYLDI6/yy/LEM/9xx/DIM120V  
 PXCYLDI4/yy/LEL/9xx/DIM120V  
 PXCYLDI6/yy/LEL/9xx/DIM120V

Note: xx indicates CCT. yy indicates mounting types.



**0-10V DIMMER Compatible\***

Models:	PXCYL2/yy/LES90xx/KDIM010UNV	PXCYL4/yy/LES90xx/KDIM010UNV
	PXCYL6/yy/LEM90xx/KDIM010UNV	PXCYL6/yy/LEL90xx/KDIM010UNV
	PXCYL8/yy/LES90xx/KDIM010UNV	PXCYL8/yy/LEM90xx/KDIM010UNV
	PXCYL8/yy/LEL90xx/KDIM010UNV	PXCYLDI4/yy/LEM/9xx/DIM010UNV
	PXCYLDI6/yy/LEM/9xx/DIM010UNV	PXCYLDI4/yy/LEL/9xx/DIM010UNV
	PXCYLDI6/yy/LEL/9xx/DIM010UNV	

Brand	Series	Model	Dimmability
Lutron	Diva	DVSTV	Compatible
	Diva	DVSCTV	Compatible
	Nova	NFTV	Compatible
	Nova	NTSTV-DV	Compatible
Leviton	Illumatech	IP710-DLZ	Compatible

\* The 0-10V dimmers listed above have been tested and are fully compatible at all three output levels.

**PXCYL DIM. Compatible**

120V DIMMER Compatible				
Models:		PXCYL2/yy/LES90xx/KDIM0120V	PXCYL4/yy/LES90xx/KDIM120V	
		PXCYL6/yy/LES90xx/KDIM120V	PXCYL8/yy/LES90xx/KDIM120V	
High Input Power: 13W				
Brand	Series	Model	Dimming Range	Dimmability
Lutron	Diva	DV-600P	6%-100%	Compatible
	Toggler	TG-600P	14%-100%	Compatible
	Maestro	MAELV-600	2%-100%	Compatible
	Nova T	NTELV-600	12%-100%	Compatible
	Skylark	CTCL-153P	0-100%	Compatible
	Diva	DVCL-153P	4%-100%	Compatible
	Maestro	MACL-153M	9%-100%	Compatible
	Skylark	CTELV-303P	7%-100%	Compatible
	Diva	DVELV-300P	7%-100%	Compatible
	Caseta	PD-5NE	4%-100%	Compatible
Leviton	Sureslide	6674	2%-100%	Compatible
	Illumatech	IPE04-1LZ	14%-100%	Compatible
Cooper	Aspire	9536	8%-100%	Compatible

120V DIMMER Compatible				
Models:		PXCYL2/yy/LES90xx/KDIM0120V	PXCYL4/yy/LES90xx/KDIM120V	
		PXCYL6/yy/LES90xx/KDIM120V	PXCYL8/yy/LES90xx/KDIM120V	
Medium Input Power: 8.5W				
Brand	Series	Model	Dimming Range	Dimmability
Lutron	Diva	DV-600P	8%-100%	Compatible
	Toggler	TG-600P	15%-100%	Compatible
	Maestro	MAELV-600	3%-100%	Compatible
	Nova T	NTELV-600	12%-100%	Compatible
	Skylark	CTCL-153P	0-100%	Compatible
	Diva	DVCL-153P	5%-100%	Compatible
	Maestro	MACL-153M	9%-100%	Compatible
	Skylark	CTELV-303P	6%-100%	Compatible
	Diva	DVELV-300P	7%-100%	Compatible
	Caseta	PD-5NE	9%-100%	Compatible
Leviton	Sureslide	6674	4%-100%	Compatible
	Illumatech	IPE04-1LZ	13%-100%	Compatible
Cooper	Aspire	9536	6%-100%	Compatible

**PXCYL DIM. Compatible**

120V DIMMER Compatible				
Models: PXCYL2/yy/LES90xx/KDIM120V      PXCYL4/yy/LES90xx/KDIM120V PXCYL6/yy/LES90xx/KDIM120V      PXCYL8/yy/LES90xx/KDIM120V Low Input Power: 6.5W				
Brand	Series	Model	Dimming Range	Dimmability
Lutron	Diva	DV-600P	1%-100%	Compatible
	Toggler	TG-600P	3%-100%	Compatible
	Maestro	MAELV-600	1%-100%	Compatible
	Nova T	NTELV-600	7%-100%	Compatible
	Diva	DVCL-153P	1%-100%	Compatible
	Maestro	MACL-153M	1%-100%	Compatible
	Skylark	CTELV-303P	3%-100%	Compatible
	Diva	DVELV-300P	3%-100%	Compatible
Leviton	Caseta	PD-5NE	4%-100%	Compatible
Leviton	Sureslide	6674	0-100%	Compatible

120V DIMMER Compatible				
Models: PXCYL4/yy/LEM90xx/KDIM120V      PXCYL6/yy/LEM90xx/KDIM120V PXCYLDI4/yy/LEM/9xx/DIM120V      PXCYLDI6/yy/LEM/9xx/DIM120V PXCYL8/yy/LEM90xx/KDIM120V High Input Power: 31.5W				
Brand	Series	Model	Dimming Range	Dimmability
Lutron	Diva	DV-600P	5%-100%	Compatible
	Toggler	TG-600P	11%-100%	Compatible
	Maestro	MAELV-600	4%-100%	Compatible
	Nova T	NTELV-600	11%-100%	Compatible
	Skylark	CTCL-153P	10%-100%	Compatible
	Diva	DVCL-153P	2%-100%	Compatible
	Maestro	MACL-153M	5%-100%	Compatible
	Skylark	CTELV-303P	7%-100%	Compatible
	Diva	DVELV-300P	8%-100%	Compatible
	Caseta	PD-5NE	9%-100%	Compatible
Leviton	Sureslide	6674	1%-100%	Compatible
	Illumatech	IPE04-1LZ	12%-100%	Compatible
Cooper	Aspire	9536	7%-100%	Compatible

**PXCYL DIM. Compatible**

120V DIMMER Compatible				
Models: PXCYL4/yy/LEM90xx/KDIM120V      PXCYL6/yy/LEM90xx/KDIM120V PXCYLDI4/yy/LEM/9xx/DIM120V      PXCYLDI6/yy/LEM/9xx/DIM120V PXCYL8/yy/LEM90xx/KDIM120V Medium Input Power: 25.5W				
Brand	Series	Model	Dimming Range	Dimmability
Lutron	Diva	DV-600P	5%-100%	Compatible
	Toggler	TG-600P	11%-100%	Compatible
	Maestro	MAELV-600	2%-100%	Compatible
	Nova T	NTELV-600	5%-100%	Compatible
	Skylark	CTCL-153P	0-100%	Compatible
	Diva	DVCL-153P	2%-100%	Compatible
	Maestro	MACL-153M	5%-100%	Compatible
	Skylark	CTELV-303P	5%-100%	Compatible
	Diva	DVELV-300P	5%-100%	Compatible
Leviton	Sureslide	6674	1%-100%	Compatible
	Illumatech	IPE04-1LZ	9%-100%	Compatible
Cooper	Aspire	9536	4%-100%	Compatible

120V DIMMER Compatible				
Models: PXCYL4/yy/LEM90xx/KDIM120V      PXCYL6/yy/LEM90xx/KDIM120V PXCYLDI4/yy/LEM/9xx/DIM120V      PXCYLDI6/yy/LEM/9xx/DIM120V PXCYL8/yy/LEM90xx/KDIM120V Low Input Power: 18W				
Brand	Series	Model	Dimming Range	Dimmability
Lutron	Diva	DV-600P	3%-100%	Compatible
	Toggler	TG-600P	6%-100%	Compatible
	Maestro	MAELV-600	1%-100%	Compatible
	Nova T	NTELV-600	10%-100%	Compatible
	Skylark	CTCL-153P	0-100%	Compatible
	Diva	DVCL-153P	1%-100%	Compatible
	Maestro	MACL-153M	3%-100%	Compatible
	Skylark	CTELV-303P	6%-100%	Compatible
	Diva	DVELV-300P	6%-100%	Compatible
Leviton	Sureslide	6674	1%-100%	Compatible
	Illumatech	IPE04-1LZ	11%-100%	Compatible

**PXCYL DIM. Compatible**

120V DIMMER Compatible				
Models:		PXCYL6/yy/LEL90xx/KDIM120V PXCYLDI4/yy/LEL/9xx/DIM120V High Input Power: 60W	PXCYL8/yy/LEL90xx/KDIM120V PXCYLDI6/yy/ LEL/9xx/DIM120V	
Brand	Series	Model	Dimming Range	Dimmability
Lutron	Diva	DV-600P	3%-100%	Compatible
	Toggler	TG-600P	5%-100%	Compatible
	Maestro	MAELV-600	1%-100%	Compatible
	Nova T	NTELV-600	3%-100%	Compatible
	Skylark	CTCL-153P	0-100%	Compatible
	Diva	DVCL-153P	1%-100%	Compatible
	Maestro	MACL-153M	3%-100%	Compatible
	Skylark	CTELV-303P	3%-100%	Compatible
	Diva	DVELV-300P	3%-100%	Compatible
	Caseta	PD-5NE	3%-100%	Compatible
Leviton	Sureslide	6674	1%-100%	Compatible
	Illumatech	IPE04-1LZ	5-100%	Compatible
Cooper	Aspire	9536	3%-100%	Compatible

120V DIMMER Compatible				
Models:		PXCYL6/yy/LEL90xx/KDIM120V PXCYLDI4/yy/LEL/9xx/DIM120V Medium Input Power: 48.5W	PXCYL8/yy/LEL90xx/KDIM120V PXCYLDI6/yy/ LEL/9xx/DIM120V	
Brand	Series	Model	Dimming Range	Dimmability
Lutron	Diva	DV-600P	2%-100%	Compatible
	Toggler	TG-600P	4%-100%	Compatible
	Maestro	MAELV-600	1%-100%	Compatible
	Nova T	NTELV-600	3%-100%	Compatible
	Skylark	CTCL-153P	0-100%	Compatible
	Diva	DVCL-153P	1%-100%	Compatible
	Maestro	MACL-153M	3%-100%	Compatible
	Skylark	CTELV-303P	3%-100%	Compatible
	Diva	DVELV-300P	3%-100%	Compatible
	Caseta	PD-5NE	3%-90%	Compatible
Leviton	Sureslide	6674	1%-100%	Compatible
	Illumatech	IPE04-1LZ	5%-100%	Compatible
Cooper	Aspire	9536	2%-100%	Compatible

### PXCYL DIM. Compatible

120V DIMMER Compatible				
Models:		PXCYL6/yy/LEL90xx/KDIM120V	PXCYL8/yy/LEL90xx/KDIM120V	
		PXCYLDI4/yy/LEL/9xx/DIM120V	PXCYLDI6/yy/LEL/9xx/DIM120V	
Low Input Power: 37.5W				
Brand	Series	Model	Dimming Range	Dimmability
Lutron	Diva	DV-600P	2%-100%	Compatible
	Toggler	TG-600P	5%-100%	Compatible
	Maestro	MAELV-600	1%-100%	Compatible
	Nova T	NTELV-600	7%-100%	Compatible
	Skylark	CTCL-153P	3%-100%	Compatible
	Diva	DVCL-153P	1%-100%	Compatible
	Maestro	MACL-153M	3%-100%	Compatible
	Skylark	CTELV-303P	1%-100%	Compatible
	Diva	DVELV-300P	4%-100%	Compatible
	Caseta	PD-5NE	5%-100%	Compatible
Leviton	Sureslide	6674	0-100%	Compatible
	Illumatech	IPE04-1LZ	7%-100%	Compatible

GREEN CREATIVE has provided this dimmer switch Compatible chart for guidance when selecting a dimmer and lamp combination. Our Fixtures were tested for Compatible with the above listed dimmers. Dimmers that do not appear on the chart might still be compatible but have not been tested. All testing has been performed with a stable main supply. The quality of the local main, existing installation and wiring, as well as different manufacturer versions of the above dimmers may affect dimming performance. Since no assurance can be provided regarding these factors, it is a general recommendation to perform a test on-site prior to installing the LED Fixtures.