


Versatile Track Fixtures Compatible With GREEN CREATIVE PAR Lamps





Versatile Sizes and Finishes

SOL Gimbal Track Head is designed to fit lamps in PAR20, PAR30 short neck and PAR38 form factors. Choose from white or black finishes to effortlessly match your decor style.

The E26 medium screw base design ensures simple installation and removal. It's designed to be future-proof, allowing for upgrades and maintenance, giving you peace of mind that your fixture will endure the test of time.



SOL/GR/PAR20/E26/x/yy (For PAR20 lamps)



SOL/GR/PAR30/E26/x/yy (For PAR30 short neck lamps)




SOL/GR/PAR38/E26/x/yy (For PAR38 lamps)

Maximum Horizontal and Vertical Swivel

Featuring its 2-plane gimbal design, the SOL Gimbal series allows for maximum horizontal and vertical swivel, enabling precise aiming and adding a touch of elegance to any environment.


Equipped with an E26 medium base and compatible with both H-Type and J-Type adapters, it seamlessly integrates with a variety of Track Rails.





H – Halo Adapter
For single circuit

track applications



J – Juno Adapter
For single and two-circuit track applications

Perfect Companion with GREEN CREATIVE PAR Lamps

SOL Gimbal Track Heads are designed as perfect companion with GREEN CREATIVE PAR lamps tailored for your specific lighting requirements.

REFINE PAR lamps series deliver superior light performance with best color accuracy and efficiency. The AdjustaPAR lamps series offers optimal flexibility for adjusting color temperature and beam angle in the field. Value Select PAR lamps series brings best value solution for everyday contractor projects.

Best Performance









Туре	PAR20 White	PAR30SN White	PAR38 White	PAR20 Black	PAR30SN Black	PAR38 Black
Wattage	6.5W	11W	15.5W	6.5W	11W	15.5W
ССТ	2700K 3000K 3500K 4000K 5000K	2700K 3000K 3500K 4000K 5000K	2700K 3000K 3500K 4000K 5000K	3000K	2700K 3000K	3000K
Lumen	520-580lm	950-1,030lm	1,320-1,420lm	550lm	950-990lm	1,370lm
Beam Angle	15°/25°/40°	15°/25°/40°	15°/25°/40°	15°/25°/40°	15°/25°/40°	15°/25°/40°
Lifetime (L70)	50,000hrs	50,000hrs	50,000hrs	50,000hrs	50,000hrs	50,000hrs
Warranty	5yrs	5yrs	5yrs	5yrs	5yrs	5yrs

Best Flexibility







PAR30SN White	PAR38 White		
9W	14W		
Selectable CCT 2700K/3000K/3500K/4000K/5000K	Selectable CCT 2700K/3000K/3500K/4000K/5000K		
810lm	1,350lm		
Selectable Beam 25°/40°	Selectable Beam 25°/40°		
25,000hrs	25,000hrs		
3yrs	3yrs		

Best Value





Туре	PAR20 White	PAR30SN White	PAR38 White	
Wattage	5.5W	8W	13W	
ССТ	2700K 3000K	3000K	3000K 4000K	
Lumen	520-525lm	800lm	1,250lm	
Beam Angle	40°	25°/40°	40°	
Lifetime (L70)	25,000hrs	25,000hrs	25,000hrs	
Warranty 3yrs		3yrs	3yrs	



Your Partner for Professional Lighting Solutions

