




GREENCREATIVE



Select Kelvin



10 SKUs in One

CCT SELECT T8 UEB

UL Type B - Single and Double Ended Bypass




10 SKUs in One

The CCT Select T8 UEB lamps offer five field-selectable color temperatures in a single product, compatible with both single-ended and double-ended installations. One stocked product provides 10 field-configurable model options.



UEB - Single Ended and Double Ended Bypass Installations

The lamps are designed for both single-ended and double-ended installations, compatible with existing shunted or non-shunted lamp holders—eliminating the need for pre-inspection to determine installation compatibility.





Five Selectable Color Temperature

The integrated SelectKelvin switch gives lighting professionals the flexibility to choose the ideal CCT for their project's needs, ensuring optimal adaptability for every application.



Innovative Safety Switch - Protection Enhanced

GREEN CREATIVE UEB lamps feature an innovative fail-safe mechanism that ensures the electrical circuit remains inactive until the lamp is securely installed in both fixture sockets.



120-277V Universal Line Voltage – Maintenance Free

Operating directly on 120-277V line voltage without need of additional ballast, these UL Type B lamps eliminate the trouble of pre-inspection in the field, avoid un-expected ballast compatibility issues, and maintenance-free.



Ultra-high Efficacy – Maximized Energy Savings

Available in 2', 3' and 4' sizes for replacement of 17W-32W T8 fluorescent lamps. Select models provide ultra-high efficacy up to 170 LPW, providing great energy saving solutions for most general lighting retrofit projects, with low operation cost and quick ROI.



Long Lifetime – Warranty Protected

These UEB lamps are designed for L70 rated lifetime of 60,000 hours with 5 year standard warranty provided. 10 year extended warranty is also optional for even longer guarantee.



Dimming Capability Across the Range

The series of lamps are all working with common 120V ELV dimmers. Lighting control is made easier for better comfort for end users.



Select Kelvin



**Your Partner For Professional
Lighting Solutions**



CCT Select T8 UEB